



KIP 7700 PRINT SYSTEM SPECIFICATIONS



Single Footprint KIP 7700 Print System

| System Configurations | |
|-----------------------------------|---|
| 2 Roll Print System | Monochrome wide format printer |
| 4 Roll Print System | Monochrome wide format printer |
| Stacking Systems (optional) | High Capacity Print Tray, KIP 1200 Stacker |
| Folding Systems (optional) | KIP Fold 7700 |
| Media Capacity Upgrade (optional) | Additional 2-Roll Media Drawer to increase capacity from 2 rolls to 4 rolls |
| General | |
| Description | Monochrome wide format print/copy/scan with monochrome scanner |
| Type | Electrophotography(LED) with organic photoconductor (OPC) and closed toner system |
| Speed | 9 D size pages per minute, First Print Output Time 11 seconds D size page |
| Warm Up Time | Instant from standby, < 4 minutes from start up |
| Configurations | Printer or Multifunction system (print/copy/scan) 2 or 4 Rolls |
| Roll Options | 2 or 4 Rolls - 11 - 36" roll width, 500' maximum roll length |
| Electrical Requirements | 230V, 50/60Hz, 16A Nema 6-20R recepticle |
| Power Consumption | Sleep - < 14 W Printing - 2.0 kW |
| Dimensions | 55"(W) x 32"(D) x 38"(H) to top of printer, 59" (H) to top of touchscreen |
| Weight | 815 lbs (370 kg) |
| Printer | |
| Print Resolution | 600 x 1800 dpi |
| Paper Capacity | 3000/6000 sqft, max 2/4 rolls |
| Output Sizes Width | 11 - 36 inch |
| Output Sizes Length | Length: 20' standard, 500' optional |
| Paper Weight | Bond 18-32lb,Vellum\Translucent Bond 18-20lb,Film 3.5-4mil |
| Media Type | Bond,Vellum,Translucent Bond,Film (compatible with recycled & colored bond) |
| Controller | |
| Controller Type | KIP IPS with Windows Xpe |
| Memory | 1 GB DDR2 Standard, Upgradable to 2GB |
| Compatible File Formats | PDF, DWF, HPGL 1/2, HP-RTL, Calcomp,906/907, CALS Group 4, TIFF Group 4, PCX, CIT/TG4, VCGL, Uncompressed,Grayscale TIFF, TIFF Packbits, IOCA, EDMICS, TLC, PNG, JPEG |

| KIP 7.0 Print Management Software | | |
|-----------------------------------|---|--|
| KIP Touchscreen | Mono File to Print | Scan mailboxes, Print from removable media, Print from network locations, View images prior to printing, Apply folding preferences, Save/recall print jobs |
| | System Management | Print queue control, keycode management, inkjet configuration, illustrated operator guides, system guides, service mode access, system preset access |
| KIP Printing Applications | KIP PrintNet Web Printing | Web-based printing utility which facilitates management of the print queue, configuration of files for printing from Windows, UNIX and Mac based internet browser applications |
| | KIP Request PC Printng | Feature rich user interface which provides Windows based workstations with a quick and easy way to print single or collated sets through a network. KIP Request software is provided with unlimited seat licensing and no maintenance fees. |
| | KIP Windows/Autocad Drivers | Windows driver supports 32 or 64 bit monochrome Windows printing, set collation, job accounting, media selection & folding features. AutoCAD driver enables printing directly from AutoCAD applications with advanced vector/raster print data control. |
| | KIP Touchscreen USB | KIP Touchscreen eliminates the need for additional PC hardware by printing documents from removable media such as standard USB drives, & network drives. |
| | KIP PDF Printing (optional) | Support for PDF and Postscript levels 1, 2 & 3. User selectable image enhancement & print range. |
| Job Management | KIP PrintNet Enterprise Web Printing & Distribution | Advanced utility that allows for a variety of print queue and job management controls, including print job recall and re-submission. A customizable digital work order tool allows decentralized users to request prints from reprographic service companies via internet or central print rooms via intranet. |
| KIP Accounting | KIP Unified Accounting | Secure, centralized data storage & access Auto record user, job #, & description User & password protection Up to 30,000 individual users |
| Software Options | | |
| Accessory Kits | Removable USB Media Kit, Secure Hard Drive Kit | |

U.S.A. ■ Phone: (800) 252-6793 ■ Email: info@kipamerica.com ■ Website: www.kipamerica.com
 CANADA ■ Phone: (800) 653-7552 ■ Email: info@kipcanada.com ■ Website: www.kipcanada.com

KIP is a registered trademark of the KIP Group. All other product names mentioned herein are trademarks of their respective companies. All product features, prices and specifications are subject to change without notice. Complete product specifications are available at www.kipamerica.com

REV_10_0326A



KIP 7700 MULTIFUNCTION SYSTEM SPECIFICATIONS



Single Footprint KIP 7700 Multifunction System

| System Configurations | |
|--|---|
| 2 Roll Mono Print/Copy/STF | Monochrome wide format printer with Monochrome KIP 600 Scanner |
| 2 Roll Mono Print/Copy/STF with Color STF and Color Copy to Inkjet | Monochrome wide format printer with Mono/Color KIP 600 Scanner |
| 4 Roll Mono Print/Copy/STF | Monochrome wide format printer with Monochrome KIP 600 Scanner |
| 4 Roll Mono Print/Copy/STF with Color STF and Color Copy to Inkjet | Monochrome wide format printer with Mono/Color KIP 600 Scanner |
| Stacking Systems (optional) | High Capacity Print Tray, KIP 1200 Stacker |
| Folding Systems (optional) | KIP Fold 7700 |
| Media Capacity Upgrade (optional) | Additional 2-Roll Media Drawer to increase capacity from 2 rolls to 4 rolls |

| General | |
|-------------------------|---|
| Description | Monochrome wide format print/copy/scan with monochrome scanner |
| Type | Electrophotography(LED) with organic photoconductor (OPC) and closed toner system |
| Speed | 9 D size pages per minute, First Print Output Time 11 seconds D size page |
| Warm Up Time | Instant from standby, < 4 minutes from start up |
| Configurations | Printer or Multifunction system (print/copy/scan) 2 or 4 Rolls |
| Roll Options | 2 or 4 Rolls - 11 - 36" roll width, 500' maximum roll length |
| Electrical Requirements | 230V, 50/60Hz, 16A Nema 6-20R recepticle |
| Power Consumption | Sleep - < 14 W Printing - 2.0 kW |
| Dimensions | 55"(W) x 32"(D) x 38"(H) to top of printer, 59" (H) to top of touchscreen |
| Weight | 815 lbs (370 kg) |

| Printer | |
|---------------------|---|
| Print Resolution | 600 x 1800 dpi |
| Paper Capacity | 3000/6000 sqft, max 2/4 rolls |
| Output Sizes Width | 11 - 36 inch |
| Output Sizes Length | Length: 20' standard, 500' optional |
| Paper Weight | Bond 18-32lb,Vellum\Translucent Bond 18-20lb,Film 3.5-4mil |
| Media Type | Bond,Vellum,Translucent Bond,Film (compatible with recycled & colored bond) |

| Controller | |
|-------------------------|---|
| Controller Type | KIP IPS with Windows Xpe |
| Memory | 1 GB DDR2 Standard, Upgradable to 2GB |
| Compatible File Formats | PDF, DWF, HPGL 1/2, HP-RTL, Calcomp,906/907, CALS Group 4, TIFF Group 4, PCX, CIT/TG4, VCGL, Uncompressed,Grayscale TIFF, TIFF Packbits, IOCA, EDMICS, TLC, PNG, JPEG |

| KIP 600 Scanner | |
|---------------------|--|
| Scanner Type | C.I.S. with KIP RTT Technology |
| Scan Resolution | 600 x 600 dpi optical resolution |
| Scan Speed | Up to 35.5 ft per minute |
| Scan Format | TIFF,Multipage TIFF,PDF, PDF-A, Multipage PDF, DWF, Multipage DWF,JPEG,CALS |
| Scan Destination | Local USB(Removable Media),Unlimited IPS Mailboxes(Local),Unlimited FTP, Unlimited SMB |
| Original Size Width | 11" - 36" |
| Original Thickness | Up to 1.6mm thick |
| Interface | USB 2.0 |
| Dimensions | 43" x 16" x 6.7" |
| Weight | 53lbs |
| Electrical | 15 Amp, 120 VAC |
| Power Consumption | < 60 W |

| KIP 7.0 Print Management Software | | |
|-----------------------------------|---|--|
| KIP Touchscreen | Concurrent Print & Scan to file | Scan images to file while printing, Select number of copies, Select output media |
| | Mono File to Print | Scan mailboxes, Print from removable media, Print from network locations, View images prior to printing, Apply folding preferences, Save/recall print jobs |
| | Mono Copying & Scanning | Collated sets copying ,Recall, edit & reprint previous jobs, Set copy & concurrent print , Apply digital stamps, Scan directly to multi-page PDF, DWF or TIF, Apply folding preferences to copies, Scan to USB removable media drives |
| | System Management | Print queue control, keycode management, inkjet configuration, illustrated operator guides, system guides, service mode access, system preset access |
| KIP Printing Applications | KIP PrintNet Web Printing | Web-based printing utility which facilitates management of the print queue, configuration of files for printing from Windows, UNIX and Mac based internet browser applications |
| | KIP Request PC Printing | Feature rich user interface which provides Windows based workstations with a quick and easy way to print single or collated sets through a network. KIP Request software is provided with unlimited seat licensing and no maintenance fees. |
| | KIP Windows/Autocad Drivers | Windows driver supports 32 or 64 bit monochrome Windows printing, set collation, job accounting, media selection & folding features. AutoCAD driver enables printing directly from AutoCAD applications with advanced vector/raster print data control. |
| | KIP Touchscreen USB | KIP Touchscreen eliminates the need for additional PC hardware by printing documents from removable media such as standard USB drives, & network drives. |
| | KIP PDF Printing (optional) | Support for PDF and Postscript levels 1, 2 & 3. User selectable image enhancement & print range. |
| Job Management | KIP PrintNet Enterprise Web Printing & Distribution | Advanced utility that allows for a variety of print queue and job management controls, including print job recall and re-submission. A customizable digital work order tool allows decentralized users to request prints from reprographic service companies via internet or central print rooms via intranet. |
| KIP Accounting | KIP Unified Accounting | Secure, centralized data storage & access Auto record user, job #, & description User & password protection Up to 30,000 individual users |
| KIP Color Direct (optional) | Color Scanning | Scan directly to PDF, jpg and Tiff, automatic quality presets, scan directly to USB and removable media, scan DPI from 200-600, scan to FTP, hard drive, user mailbox, scan preview, auto size detection |
| | Color Copying | Copy directly to wide range of inkjet printers, multiple copy count , reduction enlargement, rotation, auto color image original and copy presets, zoom, mirror, invert, unlimited copy presets, lead and trail edge adjustments, copy preview. |

| Software Options | |
|------------------|--|
| Accessory Kits | Removable USB Media Kit, Secure Hard Drive Kit |

U.S.A. ■ Phone: (800) 252-6793 ■ Email: info@kipamerica.com ■ Website: www.kipamerica.com
 CANADA ■ Phone: (800) 653-7552 ■ Email: info@kipcanada.com ■ Website: www.kipcanada.com

KIP is a registered trademark of the KIP Group. All other product names mentioned herein are trademarks of their respective companies. All product features, prices and specifications are subject to change without notice. Complete product specifications are available at www.kipamerica.com

REV_10_0326A



KIP 7700 PRODUCTION SYSTEM SPECIFICATIONS



Single Footprint KIP 7700 Production System



Dual Footprint KIP 7700 Production System

| System Configurations | |
|--|---|
| 2 Roll Mono Print/Copy/STF | Monochrome wide format printer with Monochrome KIP 2300 Scanner |
| 2 Roll Mono Print/Copy/STF with Color STF and Color Copy to Inkjet | Monochrome wide format printer with Mono/Color KIP 2300 Scanner |
| 4 Roll Mono Print/Copy/STF | Monochrome wide format printer with Monochrome KIP 2300 Scanner |
| 4 Roll Mono Print/Copy/STF with Color STF and Color Copy to Inkjet | Monochrome wide format printer with Mono/Color KIP 2300 Scanner |
| System Stands (optional) | Scanner Stand, PC Stand (for KIP Color Pro) |
| Stacking Systems (optional) | High Capacity Print Tray, KIP 1200 Stacker |
| Folding Systems (optional) | KIP Fold 7700 |
| Media Capacity Upgrade (optional) | Additional 2-Roll Media Drawer to increase capacity from 2 rolls to 4 rolls |
| General | |
| Description | Monochrome wide format print/copy/scan with monochrome scanner |
| Type | Electrophotography(LED) with organic photoconductor (OPC) and closed toner system |
| Speed | 9 D size pages per minute, First Print Output Time 11 seconds D size page |
| Warm Up Time | Instant from standby, < 4 minutes from start up |
| Configurations | Printer or Multifunction system (print/copy/scan) 2 or 4 Rolls |
| Roll Options | 2 or 4 Rolls - 11 - 36" roll width, 500' maximum roll length |
| Electrical Requirements | 230V, 50/60Hz, 16A Nema 6-20R recepticle |
| Power Consumption | Sleep - < 14 W Printing - 2.0 kW |
| Dimensions | 55"(W) x 32"(D) x 38"(H) to top of printer, 59" (H) to top of touchscreen |
| Weight | 815 lbs (370 kg) |
| Printer | |
| Print Resolution | 600 x 1800 dpi |
| Paper Capacity | 3000/6000 sqft, max 2/4 rolls |
| Output Sizes Width | 11 - 36 inch |
| Output Sizes Length | Length: 20' standard, 500' optional |
| Paper Weight | Bond 18-32lb,Vellum\Translucent Bond 18-20lb,Film 3.5-4mil |
| Media Type | Bond,Vellum,Translucent Bond,Film (compatible with recycled & colored bond) |
| Controller | |
| Controller Type | KIP IPS with Windows Xpe |
| Memory | 1 GB DDR2 Standard, Upgradable to 2GB |
| Compatible File Formats | PDF, DWF, HPGL 1/2, HP-RTL, Calcomp,906/907, CALS Group 4, TIFF Group 4, PCX, CIT/TG4, VCGL, Uncompressed,Grayscale TIFF, TIFF Packbits, IOCA, EDMICS, TLC, PNG, JPEG |

| KIP 2500 Scanner | |
|----------------------------|--|
| Scanner Type | C.C.D. with KIP True•Speed Technology and KIP RTT Technology |
| Scan Resolution | 600 x 600 dpi optical resolution |
| Scan Speed | Up to 60 ft per minute (Mono), Up to 30 ft per minute (Color) |
| Scan Formats | TIFF,Multipage TIFF,PDF, PDF-A, Multipage PDF, DWF, Multipage DWF,JPEG,CALS |
| Scan Destination | Local USB(Removable Media),Unlimited IPS Mailboxes(Local),Unlimited FTP, Unlimited SMB |
| Original Size Width/Length | Originals Up to 42" - 36" Scan width |
| Original Thickness | Up to .6" Automatic thickness detection |
| Original Face Up/Face Down | Both - Dual Original Feed Tables |
| Interface | USB 2.0, KIP Tru Speed Technology(2.3GB per sec data transfer) |
| Dimensions | 55"(W) x 21"(D) x 11"(H) |
| Weight | 160 lbs (73 kg) |
| Electrical | 15 amps, 120VAC |
| Power Consumption | < 120 watts |

| KIP 7.0 Print Management Software | | |
|-----------------------------------|---|--|
| KIP Touchscreen | Concurrent Print & Scan to file | Scan images to file while printing, Select number of copies, Select output media |
| | Mono File to Print | Scan mailboxes, Print from removable media, Print from network locations, View images prior to printing, Apply folding preferences, Save/recall print jobs |
| | Mono Copying & Scanning | Collated sets copying ,Recall, edit & reprint previous jobs, Set copy & concurrent print , Apply digital stamps, Scan directly to multi-page PDF, DWF or TIF, Apply folding preferences to copies, Scan to USB removable media drives |
| | System Management | Print queue control, keycode management, inkjet configuration, illustrated operator guides, system guides, service mode access, system preset access |
| KIP Printing Applications | KIP PrintNet Web Printing | Web-based printing utility which facilitates management of the print queue, configuration of files for printing from Windows, UNIX and Mac based internet browser applications |
| | KIP Request PC Printng | Feature rich user interface which provides Windows based workstations with a quick and easy way to print single or collated sets through a network. KIP Request software is provided with unlimited seat licensing and no maintenance fees. |
| | KIP Windows/Autocad Drivers | Windows driver supports 32 or 64 bit monochrome Windows printing, set collation, job accounting, media selection & folding features. AutoCAD driver enables printing directly from AutoCAD applications with advanced vector/raster print data control. |
| | KIP Touchscreen USB | KIP Touchscreen eliminates the need for additional PC hardware by printing documents from removable media such as standard USB drives, & network drives. |
| | KIP PDF Printing (optional) | Support for PDF and Postscript levels 1, 2 & 3. User selectable image enhancement & print range. |
| Job Management | KIP PrintNet Enterprise Web Printing & Distribution | Advanced utility that allows for a variety of print queue and job management controls, including print job recall and re-submission. A customizable digital work order tool allows decentralized users to request prints from reprographic service companies via internet or central print rooms via intranet. |
| KIP Accounting | KIP Unified Accounting | Secure, centralized data storage & access Auto record user, job #, & description User & password protection Up to 30,000 individual users |
| KIP Color Direct (optional) | Color Scanning | Scan directly to PDF, jpg and Tiff, automatic quality presets, scan directly to USB and removable media, scan DPI from 200-600, scan to FTP, hard drive, user mailbox, scan preview, auto size detection |
| | Color Copying | Copy directly to wide range of inkjet printers, multiple copy count , reduction enlargement, rotation, auto color image original and copy presets, zoom, mirror, invert, unlimited copy presets, lead and trail edge adjustments, copy preview. |
| KIP Color Pro (optional) | Color Scanning | Scan directly to PDF, supports 24 bit RGB and 8 bit gray files, auto color presets, professional color management, scan directly to USB, scan DPI from 200-600, scan to FTP, hard drive, user mailbox and email, scan preview, auto size detection, despeckle, deskew |
| | Color Copying | Color Copy directly to wide range of inkjet printers, multiple copy count , stream copying, set copying, copy filters, closed loop calibration support, zooming, rotation, original and copy presets, professional color management, paneling, nesting, roll preview, zoom, mirror, invert, unlimited copy presets, lead and trail edge adjustments, copy preview. |
| | Color Printing | Print directly from RIP editor, crop, mirror, rotate, auto preview, crop-area of interest scale to fit, automatic de-skew on the fly, plot labeling, simple nesting, step and repeat, closed loop calibration, ICC support, photo spectrometer support, area adaptive sharpening and smoothing, brightness and gamma slider, tiling/paneling. |

| Software Options | |
|------------------|--|
| Accessory Kits | Removable USB Media Kit, Secure Hard Drive Kit |

U.S.A. ■ Phone: (800) 252-6793 ■ Email: info@kipamerica.com ■ Website: www.kipamerica.com
 CANADA ■ Phone: (800) 653-7552 ■ Email: info@kipcanada.com ■ Website: www.kipcanada.com

KIP is a registered trademark of the KIP Group. All other product names mentioned herein are trademarks of their respective companies. All product features, prices and specifications are subject to change without notice. Complete product specifications are available at www.kipamerica.com



KIP 7900 PRINT SYSTEM SPECIFICATIONS



Single Footprint KIP 7900 Print System

| System Configurations | |
|-----------------------------|---|
| 4 Roll Print System | Monochrome wide format printer |
| Stacking Systems (optional) | High Capacity Print Tray, KIP 1200 Stacker |
| Folding Systems (optional) | KIP Fold 7900 |
| General | |
| Description | Monochrome wide format print/copy/scan with monochrome scanner |
| Type | Electrophotography(LED) with organic photoconductor (OPC) and closed toner system |
| Speed | 13 D size pages per minute, First Print Output Time 8 seconds D size page |
| Warm Up Time | Instant from standby, < 4 minutes from start up |
| Configurations | Printer or Multifunction system (print/copy/scan) 4 Rolls |
| Electrical Requirements | 230V, 50/60Hz, 16A Nema 6-20R receptacle |
| Power Consumption | Sleep - < 14 W Printing - 2.0 kW |
| Dimensions | 55"(W) x 32"(D) x 38"(H) to top of printer, 59" (H) to top of touchscreen |
| Weight | 815 lbs (370 kg) |
| Printer | |
| Print Resolution | 600 x 1800 dpi |
| Paper Capacity | 6000 sqft, 4 rolls |
| Output Sizes Width | 11 - 36 inch |
| Output Sizes Length | Length: 20' standard, 500' optional |
| Paper Weight | Bond 18-32lb,Vellum\Translucent Bond 18-20lb,Film 3.5-4mil |
| Media Type | Bond,Vellum,Translucent Bond,Film (compatible with recycled & colored bond) |
| Controller | |
| Controller Type | KIP IPS with Windows Xpe |
| Memory | 1 GB DDR2 Standard, Upgradable to 2GB |
| Compatible File Formats | PDF, DWF, HPGL 1/2, HP-RTL, Calcomp,906/907, CALS Group 4, TIFF Group 4, PCX, CIT/TG4, VCGL, Uncompressed,Grayscale TIFF, TIFF Packbits, IOCA, EDMICS, TLC, PNG, JPEG |

| KIP 7.0 Print Management Software | | |
|-----------------------------------|---|--|
| KIP Touchscreen | Mono File to Print | Scan mailboxes, Print from removable media, Print from network locations, View images prior to printing, Apply folding preferences, Save/recall print jobs |
| | System Management | Print queue control, keycode management, inkjet configuration, illustrated operator guides, system guides, service mode access, system preset access |
| KIP Printing Applications | KIP PrintNet Web Printing | Web-based printing utility which facilitates management of the print queue, configuration of files for printing from Windows, UNIX and Mac based internet browser applications |
| | KIP Request PC Printing | Feature rich user interface which provides Windows based workstations with a quick and easy way to print single or collated sets through a network. KIP Request software is provided with unlimited seat licensing and no maintenance fees. |
| | KIP Windows/Autocad Drivers | Windows driver supports 32 or 64 bit monochrome Windows printing, set collation, job accounting, media selection & folding features. AutoCAD driver enables printing directly from AutoCAD applications with advanced vector/raster print data control. |
| | KIP Touchscreen USB | KIP Touchscreen eliminates the need for additional PC hardware by printing documents from removable media such as standard USB drives, & network drives. |
| | KIP PDF Printing (optional) | Support for PDF and Postscript levels 1, 2 & 3. User selectable image enhancement & print range. |
| Job Management | KIP PrintNet Enterprise Web Printing & Distribution | Advanced utility that allows for a variety of print queue and job management controls, including print job recall and re-submission. A customizable digital work order tool allows decentralized users to request prints from reprographic service companies via internet or central print rooms via intranet. |
| KIP Accounting | KIP Unified Accounting | Secure, centralized data storage & access Auto record user, job #, & description User & password protection Up to 30,000 individual users |
| Software Options | | |
| Accessory Kits | Removable USB Media Kit, Secure Hard Drive Kit | |

U.S.A. ■ Phone: (800) 252-6793 ■ Email: info@kipamerica.com ■ Website: www.kipamerica.com
 CANADA ■ Phone: (800) 653-7552 ■ Email: info@kipcanada.com ■ Website: www.kipcanada.com

KIP is a registered trademark of the KIP Group. All other product names mentioned herein are trademarks of their respective companies. All product features, prices and specifications are subject to change without notice. Complete product specifications are available at www.kipamerica.com

REV_10_0326A



KIP 7900 MULTIFUNCTION SYSTEM SPECIFICATIONS



Single Footprint KIP 7900 Multifunction System

| System Configurations | |
|--|---|
| 4 Roll Mono Print/Copy/STF | Monochrome wide format printer with Monochrome KIP 600 Scanner |
| 4 Roll Mono Print/Copy/STF with Color STF and Color Copy to Inkjet | Monochrome wide format printer with Mono/Color KIP 600 Scanner |
| Stacking Systems (optional) | High Capacity Print Tray, KIP 1200 Stacker |
| Folding Systems (optional) | KIP Fold 7900 |
| General | |
| Description | Monochrome wide format print/copy/scan with monochrome scanner |
| Type | Electrophotography(LED) with organic photoconductor (OPC) and closed toner system |
| Speed | 13 D size pages per minute, First Print Output Time 8 seconds D size page |
| Warm Up Time | Instant from standby, < 4 minutes from start up |
| Configurations | Printer or Multifunction system (print/copy/scan) 4 Rolls |
| Electrical Requirements | 230V, 50/60Hz, 16A Nema 6-20R recepticle |
| Power Consumption | Sleep - < 14 W Printing - 2.0 kW |
| Dimensions | 55"(W) x 32"(D) x 38"(H) to top of printer, 59" (H) to top of touchscreen |
| Weight | 815 lbs (370 kg) |
| Printer | |
| Print Resolution | 600 x 1800 dpi |
| Paper Capacity | 6000 sqft, 4 rolls |
| Output Sizes Width | 11 - 36 inch |
| Output Sizes Length | Length: 20' standard, 500' optional |
| Paper Weight | Bond 18-32lb,Vellum\Translucent Bond 18-20lb,Film 3.5-4mil |
| Media Type | Bond,Vellum,Translucent Bond,Film (compatible with recycled & colored bond) |
| Controller | |
| Controller Type | KIP IPS with Windows Xpe |
| Memory | 1 GB DDR2 Standard, Upgradable to 2GB |
| Compatible File Formats | PDF, DWF, HPGL 1/2, HP-RTL, Calcomp,906/907, CALS Group 4, TIFF Group 4, PCX, CIT/TG4, VCGL, Uncompressed,Grayscale TIFF, TIFF Packbits, IOCA, EDMICS, TLC, PNG, JPEG |

| KIP 600 Scanner | |
|---------------------|--|
| Scanner Type | C.I.S. with KIP RTT Technology |
| Scan Resolution | 600 x 600 dpi optical resolution |
| Scan Speed | Up to 35.5 ft per minute |
| Scan Format | TIFF,Multipage TIFF,PDF, PDF-A, Multipage PDF, DWF, Multipage DWF,JPEG,CALS |
| Scan Destination | Local USB(Removable Media),Unlimited IPS Mailboxes(Local),Unlimited FTP, Unlimited SMB |
| Original Size Width | 11" - 36" |
| Original Thickness | Up to 1.6mm thick |
| Interface | USB 2.0 |
| Dimensions | 43" x 16" x 6.7" |
| Weight | 53lbs |
| Electrical | 15 Amp, 120 VAC |
| Power Consumption | < 60 W |

| KIP 7.0 Print Management Software | | |
|-----------------------------------|---|--|
| KIP Touchscreen | Concurrent Print & Scan to file | Scan images to file while printing, Select number of copies, Select output media |
| | Mono File to Print | Scan mailboxes, Print from removable media, Print from network locations, View images prior to printing, Apply folding preferences, Save/recall print jobs |
| | Mono Copying & Scanning | Collated sets copying ,Recall, edit & reprint previous jobs, Set copy & concurrent print , Apply digital stamps, Scan directly to multi-page PDF, DWF or TIF, Apply folding preferences to copies, Scan to USB removable media drives |
| | System Management | Print queue control, keycode management, inkjet configuration, illustrated operator guides, system guides, service mode access, system preset access |
| KIP Printing Applications | KIP PrintNet Web Printing | Web-based printing utility which facilitates management of the print queue, configuration of files for printing from Windows, UNIX and Mac based internet browser applications |
| | KIP Request PC Printing | Feature rich user interface which provides Windows based workstations with a quick and easy way to print single or collated sets through a network. KIP Request software is provided with unlimited seat licensing and no maintenance fees. |
| | KIP Windows/Autocad Drivers | Windows driver supports 32 or 64 bit monochrome Windows printing, set collation, job accounting, media selection & folding features. AutoCAD driver enables printing directly from AutoCAD applications with advanced vector/raster print data control. |
| | KIP Touchscreen USB | KIP Touchscreen eliminates the need for additional PC hardware by printing documents from removable media such as standard USB drives, & network drives. |
| | KIP PDF Printing (optional) | Support for PDF and Postscript levels 1, 2 & 3. User selectable image enhancement & print range. |
| Job Management | KIP PrintNet Enterprise Web Printing & Distribution | Advanced utility that allows for a variety of print queue and job management controls, including print job recall and re-submission. A customizable digital work order tool allows decentralized users to request prints from reprographic service companies via internet or central print rooms via intranet. |
| KIP Accounting | KIP Unified Accounting | Secure, centralized data storage & access Auto record user, job #, & description User & password protection Up to 30,000 individual users |
| KIP Color Direct (optional) | Color Scanning | Scan directly to PDF, jpg and Tiff, automatic quality presets, scan directly to USB and removable media, scan DPI from 200-600, scan to FTP, hard drive, user mailbox, scan preview, auto size detection |
| | Color Copying | Copy directly to wide range of inkjet printers, multiple copy count , reduction enlargement, rotation, auto color image original and copy presets, zoom, mirror, invert, unlimited copy presets, lead and trail edge adjustments, copy preview. |

| Software Options | |
|------------------|--|
| Accessory Kits | Removable USB Media Kit, Secure Hard Drive Kit |

U.S.A. ■ Phone: (800) 252-6793 ■ Email: info@kipamerica.com ■ Website: www.kipamerica.com
 CANADA ■ Phone: (800) 653-7552 ■ Email: info@kipcanada.com ■ Website: www.kipcanada.com

KIP is a registered trademark of the KIP Group. All other product names mentioned herein are trademarks of their respective companies. All product features, prices and specifications are subject to change without notice. Complete product specifications are available at www.kipamerica.com

REV_10_0326A



KIP 7900 PRODUCTION SYSTEM SPECIFICATIONS



Single Footprint KIP 7900 Production System



Dual Footprint KIP 7900 Production System

| System Configurations | |
|--|---|
| 4 Roll Mono Print/Copy/STF | Monochrome wide format printer with Monochrome KIP 2300 Scanner |
| 4 Roll Mono Print/Copy/STF with Color STF and Color Copy to Inkjet | Monochrome wide format printer with Mono/Color KIP 2300 Scanner |
| System Stands (optional) | Scanner Stand, PC Stand (for KIP Color Pro) |
| Stacking Systems (optional) | High Capacity Print Tray, KIP 1200 Stacker |
| Folding Systems (optional) | KIP Fold 7900 |

| General | |
|-------------------------|---|
| Description | Monochrome wide format print/copy/scan with monochrome scanner |
| Type | Electrophotography(LED) with organic photoconductor (OPC) and closed toner system |
| Speed | 13 D size pages per minute, First Print Output Time 8 seconds D size page |
| Warm Up Time | Instant from standby, < 4 minutes from start up |
| Configurations | Printer or Multifunction system (print/copy/scan) 4 Rolls |
| Electrical Requirements | 230V, 50/60Hz, 16A Nema 6-20R recepticle |
| Power Consumption | Sleep - < 14 W Printing - 2.0 kW |
| Dimensions | 55"(W) x 32"(D) x 38"(H) to top of printer, 59" (H) to top of touchscreen |
| Weight | 815 lbs (370 kg) |

| Printer | |
|---------------------|---|
| Print Resolution | 600 x 1800 dpi |
| Paper Capacity | 6000 sqft, 4 rolls |
| Output Sizes Width | 11 - 36 inch |
| Output Sizes Length | Length: 20' standard, 500' optional |
| Paper Weight | Bond 18-32lb,Vellum\Translucent Bond 18-20lb,Film 3.5-4mil |
| Media Type | Bond,Vellum,Translucent Bond,Film (compatible with recycled & colored bond) |

| Controller | |
|-------------------------|---|
| Controller Type | KIP IPS with Windows Xpe |
| Memory | 1 GB DDR2 Standard, Upgradable to 2GB |
| Compatible File Formats | PDF, DWF, HPGL 1/2, HP-RTL, Calcomp,906/907, CALS Group 4, TIFF Group 4, PCX, CIT/TG4, VCGL, Uncompressed,Grayscale TIFF, TIFF Packbits, IOCA, EDMICS, TLC, PNG, JPEG |

| KIP 2300 Scanner | |
|----------------------------|--|
| Scanner Type | C.C.D. with KIP True•Speed Technology and KIP RTT Technology |
| Scan Resolution | 600 x 600 dpi optical resolution |
| Scan Speed | Up to 60 ft per minute (Mono), Up to 30 ft per minute (Color) |
| Scan Formats | TIFF,Multipage TIFF,PDF, PDF-A, Multipage PDF, DWF, Multipage DWF,JPEG,CALS |
| Scan Destination | Local USB(Removable Media),Unlimited IPS Mailboxes(Local),Unlimited FTP, Unlimited SMB |
| Original Size Width/Length | Originals Up to 42" - 36" Scan width |
| Original Thickness | Up to .6" Automatic thickness detection |
| Original Face Up/Face Down | Both - Dual Original Feed Tables |
| Interface | USB 2.0, KIP Tru Speed Technology(2.3GB per sec data transfer) |
| Dimensions | 55"(W) x 21"(D) x 11"(H) |
| Weight | 160 lbs (73 kg) |
| Electrical | 15 amps, 120VAC |
| Power Consumption | < 120 watts |

| KIP 7.0 Print Management Software | | |
|-----------------------------------|---|---|
| KIP Touchscreen | Concurrent Print & Scan to file | Scan images to file while printing, Select number of copies, Select output media |
| | Mono File to Print | Scan mailboxes, Print from removable media, Print from network locations, View images prior to printing, Apply folding preferences, Save/recall print jobs |
| | Mono Copying & Scanning | Collated sets copying ,Recall, edit & reprint previous jobs, Set copy & concurrent print , Apply digital stamps, Scan directly to multi-page PDF, DWF or TIF, Apply folding preferences to copies, Scan to USB removable media drives |
| | System Management | Print queue control, keycode management, inkjet configuration, illustrated operator guides, system guides, service mode access, system preset access |
| KIP Printing Applications | KIP PrintNet Web Printing | Web-based printing utility which facilitates management of the print queue, configuration of files for printing from Windows, UNIX and Mac based internet browser applications |
| | KIP Request PC Printng | Feature rich user interface which provides Windows based workstations with a quick and easy way to print single or collated sets through a network. KIP Request software is provided with unlimited seat licensing and no maintenance fees. |
| | KIP Windows/Autocad Drivers | Windows driver supports 32 or 64 bit monochrome Windows printing, set collation, job accounting, media selection & folding features. AutoCAD driver enables printing directly from AutoCAD applications with advanced vector/raster print data control. |
| | KIP Touchscreen USB | KIP Touchscreen eliminates the need for additional PC hardware by printing documents from removable media such as standard USB drives, & network drives. |
| | KIP PDF Printing (optional) | Support for PDF and Postscript levels 1, 2 & 3. User selectable image enhancement & print range. |
| Job Management | KIP PrintNet Enterprise Web Printing & Distribution | Advanced utility that allows for a variety of print queue and job management controls, including print job recall and re-submission. A customizable digital work order tool allows decentralized users to request prints from reprographic service companies via internet or central print rooms via intranet. |
| KIP Accounting | KIP Unified Accounting | Secure, centralized data storage & access Auto record user, job #, & description User & password protection Up to 30,000 individual users |
| KIP Color Direct (optional) | Color Scanning | Scan directly to PDF, jpg and Tiff, automatic quality presets, scan directly to USB and removable media, scan DPI from 200-600, scan to FTP, hard drive, user mailbox, scan preview, auto size detection |
| | Color Copying | Copy directly to wide range of inkjet printers, multiple copy count , reduction enlarge-ment, rotation, auto color image original and copy presets, zoom, mirror, invert, unlimited copy presets, lead and trail edge adjustments, copy preview. |
| KIP Color Pro (optional) | Color Scanning | Scan directly to PDF, supports 24 bit RGB and 8 bit gray files, auto color presets, profes-sional color management, scan directly to USB, scan DPI from 200-600, scan to FTP, hard drive, user mailbox and email, scan preview, auto size detection, despeckle, deskew |
| | Color Copying | Color Copy directly to wide range of inkjet printers, multiple copy count , stream copy-ing, set copying, copy filters, closed loop calibration support, zooming, rotation, original and copy presets, professional color management, paneling, nesting, roll preview, zoom, mirror, invert, unlimited copy presets, lead and trail edge adjustments, copy preview. |
| | Color Printing | Print directly from RIP editor, crop, mirror, rotate, auto preview, crop-area of interest scale to fit, automatic de-skew on the fly, plot labeling, simple nesting, step and repeat, closed loop calibration, ICC support, photo spectrometer support, area adaptive sharpen-ing and smoothing, brightness and gamma slider, tiling/paneling. |

| Software Options | |
|------------------|--|
| Accessory Kits | Removable USB Media Kit, Secure Hard Drive Kit |

U.S.A. ■ Phone: (800) 252-6793 ■ Email: info@kipamerica.com ■ Website: www.kipamerica.com
 CANADA ■ Phone: (800) 653-7552 ■ Email: info@kipcanada.com ■ Website: www.kipcanada.com

KIP is a registered trademark of the KIP Group. All other product names mentioned herein are trademarks of their respective companies. All prod-uct features, prices and specifications are subject to change without notice. Complete product specifications are available at www.kipamerica.com